

PAN AMERICAN TOOL CORPORATION

SCREW DRIVER BITS, BIT HOLDERS, SCREW EXTRACTORS



PAN AMERICAN TOOL CORPORATION

5990 NW 31st Avenue Ft. Lauderdale, Florida 33309-2208

PHONE (954)735-8665 • TOLL FREE 1-800-423-2764 • FAX (954)735-8668

www.panamericantool.com



2011



TERMS AND CONDITIONS

TERMS: Net 10th and 25th.

DELIVERY: F.O.B. our plant, Fort Lauderdale, Florida

CREDIT: On application by rated companies. Visa, MasterCard, American Express, Discover and IMPAC Cards accepted.

MINIMUM ORDER: Minimum order \$50.00. All prices quoted in U.S. dollars. Overseas shipments available. C.O.D. shipments plus \$9.00.

WARRANTY: Pan American Tool Corporation tools are warranted against all defects in material or workmanship, when used for the purpose for which the tool was designed.

CLAIMS: All claims must be made no later than 10 days after receipt of merchandise.

RETURNS: Any defective tool must be returned freight prepaid to Pan American Tool Corporation, and will be repaired, replaced, or credited, provided it has not been misused or abused in any manner.

CAGE CODE: 0PFP1

WARNING: Always wear proper eye protection when working with any cutting tools.

TABLE OF CONTENTS

Phillips Insert Bits.....	3	Tri-Wing® Set.....	9
B.N.A.E. Insert Bits.....	3	Torq® Screwdrivers.....	9
Phillips Power Bits.....	4	Tri-Wing® Screwdrivers.....	9
Slotted Insert Bits.....	4	Anti-Camout Ribs.....	10
Power Slotted Bits.....	4	Phillips Insert Bits - ACR.....	11
1/4" Nova® Threaded Bit Adapter.....	4	Phillips Power Bits - ACR.....	11
Torq-Set® Insert Bits.....	5	Torq-Set® Insert Bits - ACR.....	12
Torq-Set® Power Bits.....	5	Torq-Set® Power Bits - ACR.....	12
Tri-Wing® Insert Bits.....	6	Slotted Insert Bits - ACR.....	12
Tri-Wing® Power Bits.....	6	E-Z Grip™ Friction Drops.....	13
Hi-Torque® Drivers.....	7	Phillips Insert Bits - Bulk Pricing.....	13
Insert Bit Holders.....	8	Carbon Steel Screw Extractors.....	14
Hex Socket Head Insert Bits.....	8	Screw Busters.....	14
Torx® Insert Bits.....	8	Paint Cutters.....	15
		Paint Cutter Arbor and Extensions.....	15



PAN AMERICAN TOOL CORPORATION
5990 NW 31st Avenue • Ft. Lauderdale, Florida 33309-2208
PHONE (954)735-8665 or 1-800-423-2764 • FAX (954)735-8668
www.panamericantool.com

PHILLIPS INSERT BITS NAS 8502, 8053

DESCRIPTION	INDUSTRY NUMBER	SHANK SIZE	POINT SIZE	OAL	PACKAGE QTY	PAT PART NUMBER X HARDNESS	UNIT PRICE
1/4 HEX INSERT	440-0	1/4 HEX	0	1"	25	28-000X	\$.34
	440-1		1	1"	25	28-001X	.34
	440-2		2	1"	25	28-002X	.34
	440-215X		2	1-1/2"	25	28-215X	.70
	440-22X		2	2"	25	28-220X	.74
	440-225X		2	2-1/2"	25	28-225X	.90
	440-3		3	1"	25	28-003X	.34
	440-4		4	1-1/4"	25	28-004X	.65

X-SERIES WILL BE SUPPLIED UNLESS NON X-SERIES IS SPECIFIED.

DESCRIPTION	INDUSTRY NUMBER	SHANK SIZE	POINT SIZE	OAL	PACKAGE QTY	PAT PART NUMBER X HARDNESS	UNIT PRICE
1/4 HEX INSERT LIMITED CLEARANCE	446-0	1/4 HEX	0	1"	25	28-100X	\$.37
	446-1		1	1"	25	28-101X	.37
	446-2		2	1"	25	28-102X	.37
	446-22T		2	2"	25	28-122X	.76
	446-3		3	1"	25	28-103X	.37

X-SERIES WILL BE SUPPLIED UNLESS NON X-SERIES IS SPECIFIED.

DESCRIPTION	INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	SHANK SIZE	POINT SIZE	OAL	UNIT PRICE
5/16 HEX INSERT	480-1X	28-201X	25	5/16 HEX	1	1-1/4"	\$.58
	480-2X	28-202X	25		2	1-1/4"	.58
	480-3X	28-203X	25		3	1-1/4"	.58
	480-4X	28-204X	25		4	1-1/4"	.58

DESCRIPTION	INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	SHANK SIZE	POINT SIZE	OAL	UNIT PRICE
5/16 SQUARE INSERT	830-1X	28-401X	25	5/16 SQUARE	1	1-1/8"	\$1.00
	830-2X	28-402X	25		2	1-1/8"	1.50
	830-3X	28-403X	25		3	1-1/8"	1.50
	830-4X	28-404X	25		4	1-1/8"	1.50






X-SERIES WILL BE SUPPLIED UNLESS NON X-SERIES IS SPECIFIED.

B.N.A.E. INSERT BITS

INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	SHANK SIZE	POINT SIZE	OAL	UNIT PRICE
BNAE #4	30-304	25	1/4 HEX	4MM	1-1/8"	\$1.06
BNAE #5	30-305	25		5MM	1-1/8"	1.06
BNAE #6	30-306	25		6MM	1-1/8"	1.06
BNAE #8	30-308	25		8MM	1-1/8"	1.06




PAN AMERICAN TOOL CORPORATION
5990 NW 31st Avenue • Ft. Lauderdale, Florida 33309-2208
PHONE (954)735-8665 or 1-800-423-2764 • FAX (954)735-8668
www.panamericantool.com



PHILLIPS POWER BITS NAS 8502, 8053

INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	SHANK SIZE	POINT SIZE	OAL	UNIT PRICE
491X	28-801X	25	1/4 HEX	1	1-15/16"	\$.61
492X	28-802X	25		2	1-15/16"	.61
493X	28-803X	25		3	1-15/16"	.61
491AX	28-901X	25		1	2-3/4"	.82
492AX	28-902X	25		2	2-3/4"	.82
493AX	28-903X	25		3	2-3/4"	1.01
491BX	29-101X	25		1	3-1/2"	1.01
492BX	29-102X	25		2	3-1/2"	1.01
493BX	29-103X	25		3	3-1/2"	1.11
491CX	29-201X	25		1	6"	2.07
492CX	29-202X	25		2	6"	2.07
493CX	29-203X	25		3	6"	2.07



SLOTTED INSERT BITS


INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	SHANK SIZE	SCREW SIZE	OAL	BLADE THICKNESS	BLADE WIDTH	UNIT PRICE
445-0X	29-700X	25	1/4 HEX	3F-4R	1"	.030	.154	\$.58
445-1X	29-701X	25		4F-5R	1"	.034	3/16"	.58
445-2X	29-702X	25		6F-8R	1"	.040	7/32"	.58
445-3X	29-703X	25		8F-10R	1"	.042	1/4"	.58
445-4X	29-704X	25		10F-12R	1"	.046	9/32"	.58
445-5X	29-705X	25		12F-14R	1-1/2"	.050	5/16"	.58
445-6X	29-706X	25		14F-16R	1-1/2"	.055	23/64"	.58



X-SERIES WILL BE SUPPLIED UNLESS NON X-SERIES IS SPECIFIED.

POWER SLOTTED BITS

INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	SHANK SIZE	SCREW SIZE	OAL	BLADE THICKNESS	BLADE WIDTH	UNIT PRICE
320-0X	29-720X	25	1/4 HEX	3F-4R	1-15/16"	.030	.151	\$.70
320-1X	29-721X	25		4F-5R	1-15/16"	.034	.187	.70
320-2X	29-722X	25		5F-6R	1-15/16"	.036	.250	.70
320-3X	29-723X	25		6F-8R	1-15/16"	.038	.250	.70
320-4X	29-724X	25		8F-10R	1-15/16"	.042	.275	.70




X-SERIES WILL BE SUPPLIED UNLESS NON X-SERIES IS SPECIFIED.

1/4" NOVA® THREADED BIT ADAPTER


1/4"-28 Threaded shank for use with 1/4" hex shank insert bits. Perfect for close quarter applications.

Part #28-450
• \$2.00 Each




TORQ-SET® INSERT BITS

INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	SHANK SIZE	POINT SIZE	OAL	UNIT PRICE
212-0	28-700	25	1/4 HEX	0	1"	\$1.33
212-1	28-701	25		1	1"	1.33
212-2	28-702	25		2	1"	1.33
212-3	28-703	25		3	1"	1.33
212-4	28-704	25		4	1"	1.33
212-5	28-705	25		5	1"	1.33
212-6	28-706	25		6	1"	1.33
212-8	28-708	25		8	1"	1.33
212-10	28-710	25		10	1"	1.33
212-1/4	28-711	25		1/4	1"	1.33
212-8A	28-712	25	5/16 HEX	8	1-1/4"	\$2.02
212-10A	28-713	25		10	1-1/4"	2.02
212-1/4A	28-714	25		1/4	1-1/4"	2.02
212-5/16A	28-715	25		5/16	1-1/4"	2.02
212-3/8A	28-716	25		3/8	1-1/4"	2.02




TORQ-SET® POWER BITS

INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	SHANK SIZE	POINT SIZE	OAL	UNIT PRICE
170-0	28-750	25	1/4 HEX	0	1-1/4"	\$1.33
170-1	28-751	25		1	1-1/4"	1.33
170-2	28-752	25		2	1-1/4"	1.33
170-3	28-753	25		3	1-1/4"	1.33
170-4	28-754	25		4	1-1/4"	1.33
170-5	28-755	25		5	1-1/4"	1.33
170-6	28-756	25		6	1-1/4"	1.33
170-8	28-758	25		8	1-1/4"	1.33
170-10	28-760	25		10	1-1/4"	1.33
170-1/4B	28-761	25	5/16 HEX	1/4	1-1/4"	2.39
170-5/16B	28-762	25		5/16	1-1/4"	2.39
170-3/8B	28-763	25		3/8	1-1/4"	2.76
170-8A	28-759	25	5/16 HEX	8	1-1/4"	\$2.39
170-10A	28-769	25		10	1-1/4"	2.39
170-1/4A	28-767	25		1/4	1-1/4"	2.65
170-5/16A	28-764	25		5/16	1-1/4"	2.65
170-3/8A	28-765	25		3/8	1-1/4"	2.76
170-1/4	28-771	5	7/16 HEX	1/4	1-1/4"	\$2.81
170-5/16	28-770	5		5/16	1-1/4"	3.13
170-3/8	28-774	5		3/8	1-1/4"	3.13
170-7/16	28-766	5		7/16	1-1/4"	5.99
170-1/2	28-773	5	5/8 HEX	1/2	1-1/4"	\$8.11
170-9/16	28-772	5		9/16	1-1/4"	8.11
265-2	28-422	5	1/4 HEX	2	3-1/2"	\$9.12
265-3	28-413	5		3	3-1/2"	9.12
265-4	28-411	5		4	3-1/2"	9.12
265-5	28-412	5		5	3-1/2"	9.12
265-6	28-415	5		6	3-1/2"	9.12
265-8	28-414	5		8	3-1/2"	9.12
265-10	28-410	5		10	3-1/2"	9.12




TRI-WING® INSERT BITS NAS 4005

INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	SHANK SIZE	OAL	SCREW SIZE	RECESS SIZE	UNIT PRICE
TWD-0	28-500	25	1/4 HEX	1"	#0	#0	\$1.33
TWD-1	28-501	25		1"	#2	#1	1.33
TWD-2	28-502	25		1"	#4	#2	1.33
TWD-3	28-503	25		1"	#6	#3	1.33
TWD-4	28-504	25		1"	#8	#4	1.33
TWD-5	28-505	25		1"	#10	#5	1.33
TWD-6	28-506	25		1"	1/4	#6	1.80
TWD-7	28-507	25		1"	5/16	#7	1.80
TWD-8	28-508	25		1"	3/8	#8	1.80
TWE-4	28-509	5	5/16 HEX	1-1/4"	#8	#4	\$2.76
TWE-5	28-510	5		1-1/4"	#10	#5	4.60
TWE-6	28-511	5		1-1/4"	1/4	#6	2.76
TWE-7	28-512	5		1-1/4"	5/16	#7	6.60
TWE-8	28-513	5		1-1/4"	3/8	#8	6.60




TRI-WING® POWER BITS NAS 4005, 1079

INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	SHANK SIZE	OAL	SCREW SIZE	RECESS SIZE	UNIT PRICE
TW-0	28-600	25	1/4 HEX	1-1/4"	#0	#0	\$1.27
TW-1	28-601	25		1-1/4"	#2	#1	1.27
TW-2	28-602	25		1-1/4"	#4	#2	1.27
TW-3	28-603	25		1-1/4"	#6	#3	1.27
TW-4	28-604	25		1-1/4"	#8	#4	1.27
TW-5	28-605	25		1-1/4"	#10	#5	1.27
TWB-6	28-606	25		1-1/4"	1/4	#6	1.43
TWB-7	28-607	5		1-1/4"	5/16	#7	3.18
TWB-8	28-608	5		1-1/4"	3/8	#8	4.24




HI-TORQUE® DRIVERS MS33750, MIL-B-9946

INDUSTRY NUMBER	PAT PART NUMBER	A BLADE THICKNESS	D BLADE WIDTH	B DRIVE SIZE	C LENGTH	E BODY DIAMETER	RECESS	SCREW SIZE	UNIT PRICE
HTS-0	29-300	.029	.167	1/4	1"	1/2"	0	0,1,2	\$ 7.26
HTS-1	29-301	.049	.274	1/4	1"	1/2"	1	3,4,5,6	7.26
HTS-2	29-302	.059	.295	1/4	1"	1/2"	2	8	7.26
HTS-3	29-303	.059	.377	1/4	1"	1/2"	3	10	7.26
HTS-3A	29-303A	.059	.377	3/8	1"	3/4"	3	10	7.26
HTS-4	29-304	.073	.502	1/4	1"	1/2"	4	1/4	7.26
HTS-4A	29-304A	.073	.502	3/8	1"	3/4"	4	1/4	7.26
HTS-5	29-305	.079	.629	3/8	1-1/4"	3/4"	5	5/16	10.00
HTS-6	29-306	.095	.745	3/8	1-1/4"	3/4"	6	3/8	10.00
HTS-7	29-307	.112	.884	1/2	1-5/8"	1"	7	7/16	31.80
HTS-8	29-308	.142	.995	1/2	1-5/8"	1"	8	1/2	31.80
HTS-9	29-309	.162	1.136	1/2	1-5/8"	1-1/4"	9	9/16	42.40
HTS-10	29-310	.182	1.250	1/2	1-5/8"	1-1/4"	10	5/8	42.40



INSERT BIT HOLDERS




INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	DRIVE SIZE	HEX SIZE	LENGTH	UNIT PRICE
825	29-400	1	1/4 SQUARE	1/4	1"	\$3.18
838	29-401	1	3/8 SQUARE	1/4	1-1/4"	3.18
835	29-402	1	3/8 SQUARE	5/16	1-1/4"	3.18
858	29-404	1	1/2 SQUARE	1/4	1-1/2"	6.15
855	29-405	1	1/2 SQUARE	5/16	1-3/4"	6.15
490	30-619	1	1/4 HEX	1/4 HEX	2-1/8"	\$2.65
490-MAG	30-619M	1	1/4 HEX	1/4 HEX	2-1/8"	3.50

HEX SOCKET HEAD INSERT BITS

INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	DRIVE SIZE	SHANK SIZE	LENGTH	UNIT PRICE
185-00	29-611X	25	1/16		1"	\$.87
185-0	29-600X	25	5/64		1"	.87
185-1	29-601X	25	3/32		1"	.87
185-9	29-609X	25	7/64	1/4 HEX	1"	.87
185-2	29-602X	25	1/8		1"	.87
185-10	29-610X	25	9/64		1"	.87
185-3	29-603X	25	5/32		1-5/16"	.87
185-4	29-604X	25	3/16		1-5/16"	.87
185-5	29-605X	25	7/32		1-5/16"	.87
185-6	29-606X	25	1/4		1"	.87
185-7	29-607X	25	5/16		1"	.87
185-8	29-608X	25	3/8		1-1/4"	1.95

TORX® INSERT BITS

INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	DRIVE SIZE	SHANK SIZE	LENGTH	UNIT PRICE
440-TX-05	29-505X	25	T-5		1"	\$.87
440-TX-06	29-506X	25	T-6		1"	.87
440-TX-07	29-507X	25	T-7		1"	.87
440-TX-08	29-508X	25	T-8	1/4 HEX	1"	.87
440-TX-09	29-509X	25	T-9		1"	.87
440-TX-10	29-510X	25	T-10		1"	.87
440-TX-15	29-515X	25	T-15		1"	.87
440-TX-20	29-520X	25	T-20		1"	.87
440-TX-25	29-525X	25	T-25		1"	.87
440-TX-27	29-527X	25	T-27		1"	.87
440-TX-30	29-530X	25	T-30		1"	.87
440-TX-40	29-540X	25	T-40		1"	.87




TRI-WING® SET



Tri-Wing® Set
• 8 Piece Set
• PART # 34-502
• \$22.00 Each

TORQ® SCREWDRIVERS


Pan American Tool TORQ® Screwdrivers are made of heat treated S2 MOD tool steel for maximum strength and durability. The tips are precision machined to allow for proper fit and the ergonomic handle gives great comfort combined with excellent grip.



PART NUMBER	POINT SIZE	A	B	C	D	HEX SHANK	UNIT PRICE
34-512	TS-1	3/8"	1-3/16"	2-15/16"	4-1/2"	3/16"	\$3.00
34-513	TS-2	7/16	2-11/16	3-5/8	6-3/4	1/4	3.00
34-514	TS-3	7/16	2-11/16	3-5/8	6-3/4	1/4	3.00
34-515	TS-4	7/16	2-11/16	3-5/8	6-3/4	1/4	3.00
34-516	TS-5	7/16	2-11/16	3-5/8	6-3/4	1/4	3.00
34-520	TS-1/4	7/16	5-1/2	4	9-15/16	5/16	3.00

TRI-WING® SCREWDRIVERS

Pan American Tool TRI-WING® Screwdrivers are made of heat treated S2 MOD tool steel for maximum strength and durability. The tips are precision machined to allow for proper fit and the ergonomic handle gives great comfort combined with excellent grip.



PART NUMBER	POINT SIZE	A	B	C	D	E	HEX SHANK	UNIT PRICE
34-504	TW1	3/8"	1-3/16"	1-9/16"	4-1/2"	2-15/16"	3/16"	\$3.00
34-505	TW2	7/16	2-11/16	3-1/8	6-3/4	3-5/8	1/4	3.00
34-506	TW3	7/16	3-1/2	3-15/16	7-9/16	3-5/8	1/4	3.00
34-507	TW4	7/16	3-1/2	3-15/16	7-7/8	3-15/16	5/16	3.00
34-508	TW5	7/16	3-1/2	3-15/16	7-7/8	3-15/16	5/16	3.00
34-509	TW6	1/2	5-7/16	5-15/16	10-1/4	4-3/8	3/8	3.00
34-510	TW7	1/2	7-3/8	7-7/8	12-1/4	4-3/8	3/8	3.00
34-511	TW8	1/2	7-3/8	7-7/8	12-1/4	4-3/8	3/8	3.00


ANTI-CAMOUT RIBS




For Removal



For Driving



For Both Removal
And Driving



ACR stands for the “anti-camout ribs” that are formed on screw driver tips and may also occur in screw sockets. The ribs adhere securely to screws to minimize camout while reducing worker fatigue. ACR drivers can reduce camout by 30% to 40%.



ACR SCREWDRIVER INSERT AND POWER BITS

PHILLIPS INSERT BITS - ACR

DESCRIPTION	INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	SHANK SIZE	POINT SIZE	OAL	UNIT PRICE
1/4 HEX INSERT	440-1XACR	28-001XACR	25	1/4"	1	1"	\$.64
	440-2XACR	28-002XACR	25	1/4"	2	1"	.64
	440-3XACR	28-003XACR	25	1/4"	3	1"	.64
	440-4XACR	28-004XACR	25	1/4"	4	1-1/4"	1.59



OTHER SIZES AND LENGTHS AVAILABLE

1/4 HEX INSERT LIMITED CLEARANCE	446-1XACR	28-101XACR	25	1/4"	1	1"	\$.64
	446-2XACR	28-102XACR	25	1/4"	2	1"	.64
	446-3XACR	28-103XACR	25	1/4"	3	1"	.64

OTHER SIZES AND LENGTHS AVAILABLE

1/4 HEX INSERT	480-2XACR	28-202XACR	25	5/16"	2	1-1/4"	\$.80
	480-3XACR	28-203XACR	25	5/16"	3	1-1/4"	1.10


OTHER SIZES AND LENGTHS AVAILABLE



PHILLIPS POWER BITS - ACR

DESCRIPTION	INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	SHANK SIZE	POINT SIZE	OAL	UNIT PRICE
1/4 HEX INSERT	491X ACR	28-801XACR	25	1/4"	1	1-15/16"	\$ 1.06
	492X ACR	28-802XACR	25	1/4"	2	1-15/16"	1.06
	492AX ACR	28-902XACR	25	1/4"	2	2-3/4"	1.27
	492BX ACR	29-102XACR	25	1/4"	2	3-1/2"	1.70
	492CX ACR	29-202XACR	25	1/4"	2	6"	2.39
	493X ACR	28-803XACR	25	1/4"	3	1-15/16"	1.06

OTHER SIZES AND LENGTHS AVAILABLE



ACR SCREWDRIVER INSERT AND POWER BITS

TORQ-SET INSERT BITS - ACR

DESCRIPTION	INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	SHANK SIZE	POINT SIZE	OAL	UNIT PRICE
1/4 HEX INSERT	212-2ACR	28-702ACR	25	1/4 HEX	2	1"	\$1.75
	212-3ACR	28-703ACR	25		3	1"	1.75
	212-4ACR	28-704ACR	25		4	1"	1.75
	212-5ACR	28-705ACR	25		5	1"	1.75
	212-6ACR	28-706ACR	25		6	1"	1.75
	212-8ACR	28-708ACR	25		8	1"	1.75
	212-10ACR	28-710ACR	25		10	1"	1.75
	212-1/4ACR	28-711ACR	25		1/4	1"	1.75
5/16 HEX INSERT	212-1/4A-ACR	28-714ACR	25	5/16 HEX	1/4	1-1/4"	2.12

OTHER SIZES AND LENGTHS AVAILABLE

TORQ-SET POWER BITS - ACR



DESCRIPTION	INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	SHANK SIZE	POINT SIZE	OAL	UNIT PRICE
1/4 HEX INSERT	170-4ACR	28-754ACR	25	1/4 HEX	4	1-1/4"	\$1.75
	170-6ACR	28-756ACR	25		6	1-1/4"	1.75
	170-8ACR	28-758ACR	25		8	1-1/4"	1.75
	170-10ACR	28-760ACR	25		10	1-1/4"	1.75
	170-1/4BACR	28-761ACR	25		1/4	1-1/4"	2.65

OTHER SIZES AND LENGTHS AVAILABLE

SLOTTED INSERT BITS - ACR

INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	SHANK SIZE	SCREW SIZE	OAL	BLADE THICKNESS	BLADE WIDTH	UNIT PRICE
445-1X	29-701XACR	25	1/4 HEX	4F-5R	1"	.034	3/16"	\$.74
445-2X	29-702XACR	25		6F-8R	1"	.040	7/32"	.74
445-3X	29-703XACR	25		8F-10R	1"	.042	1/4"	.74
445-4X	29-704XACR	25		10F-12R	1"	.046	9/32"	.74

OTHER SIZES AND LENGTHS AVAILABLE



E-Z GRIP™ FRICTION DROPS






The instant traction your tools need to lock onto worn or stripped fastener heads for easy removal. Works on screws, nuts, bolts, and all types of fasteners.

- Easy To Use, No Waiting
- Eliminates Cutting Chiseling, or Drilling
- Extends The Life of Tools
- Keeps Fasteners Heads From Stripping
- Gives Pipe Wrenches and Pliers Greater Gripping Power
- Hundreds of Commercial Uses
- Contains over 200 Applications per Ounce
- Non-Toxic
- 3 Oz. Bottle
- Part #42-708
- \$20.00

PHILLIPS INSERT BITS NAS 8502, 8053



BULK PRICE
SCHEDULE

DESCRIPTION	INDUSTRY NUMBER	PAT PART NUMBER	SHANK SIZE	POINT SIZE	OVERALL LENGTH	PIECES PER CARTON	UNIT PRICE	PRICE PER CARTON
1/4" Hex Insert 	440-1X	28-001X	1/4 HEX	1	1"	1000	.31	\$310.00
	440-2X	28-002X		2	1"	1000	.31	310.00
	440-3X	28-003X		3	1"	1000	.31	310.00
	440-4X	28-004X		4	1-1/4"	300	.59	177.00
1/4" Hex Insert Limited Clearance 	446-1X	28-101X	1/4 HEX	1	1"	1000	.34	\$340.00
	446-2X	28-102X		2	1"	1000	.34	340.00
	446-3X	28-103X		3	1"	500	.34	170.00
5/16" Hex Insert 	480-1X	28-201X	5/16 HEX	1	1-1/4"	500	.53	\$265.00
	480-2X	28-202X		2	1-1/4"	500	.53	265.00
	480-3X	28-203X		3	1-1/4"	500	.53	265.00
	480-4X	28-204X		4	1-1/4"	500	.53	265.00

X-SERIES WILL BE SUPPLIED UNLESS NON X-SERIES IS SPECIFIED.



PAN AMERICAN TOOL CORPORATION
5990 NW 31st Avenue • Ft. Lauderdale, Florida 33309-2208
PHONE (954)735-8665 or 1-800-423-2764 • FAX (954)735-8668
www.panamericantool.com



PAN AMERICAN TOOL CORPORATION
5990 NW 31st Avenue • Ft. Lauderdale, Florida 33309-2208
PHONE (954)735-8665 or 1-800-423-2764 • FAX (954)735-8668
www.panamericantool.com

SCREW REMOVAL TOOLS

CARBON STEEL SCREW EXTRACTORS

This spiral flute extractor is excellent for removing broken screws, bolts and thread parts without damaging the threads in the hole. Drill hole in broken part and insert extractor. Turn counter clockwise with wrench to remove broken part.



INDUSTRY NUMBER	PAT PART NUMBER	PACKAGE QTY	SCREW SIZES	SMALL END DIAMETER	LARGE END DIAMETER	FLUTE LENGTH	OAL	DRILL SIZE	UNIT PRICE
#1	29-801	12	3/32-5/32	.060	1/8	13/16	2	5/64	\$.98
#2	29-802	12	5/32-7/32	.080	3/16	7/8	2-1/2	7/64	1.08
#3	29-803	12	7/32-9/32	1/8	1/4	1	2-3/4	5/32	1.20
#4	29-804	12	9/32-3/8	3/16	5/16	1-1/4	3	1/4	1.50
#5	29-805	1	3/8-5/8	1/4	7/16	1-1/2	3-3/8	17/64	1.93
#6	29-806	1	3/4-1	3/8	19/32	1-3/4	3-3/4	13/32	4.40
#7	29-807	1	1"-1-3/8	1/2	23/32	2-1/4	4-1/8	17/32	7.25

SCREW BUSTER

- .401 shank accepts a 3/8" square drive bit holder.
- Won't separate from rivet gun when used with quick change spring.
- Part #34-540
- \$22.00 Each



SCREW REMOVAL TOOLS

PAINT CUTTERS


Designed to help reduce paint from chipping during the screw removal process. The Paint Cutter is used to cut a ring in the paint around the head of the screw, reducing the chance of excess paint chipping.



PART NUMBER	"D"	"A"	SHANK SIZE	UNIT PRICE
36-511	#4 Paint Cutter	.254	1/4-28	\$14.00
36-512	#6 Paint Cutter	.280	1/4-28	14.00
36-513	#8 Paint Cutter	.302	1/4-28	14.00
36-514	#10 Paint Cutter	.360	1/4-28	14.00
36-517	1/4" Paint Cutter	.462	1/4-28	14.00

PAINT CUTTER ARBOR AND EXTENSIONS

PART NUMBER	LENGTH INCHES	UNIT PRICE
36-666	2	\$4.00
36-667	3	4.50
36-668	5	5.00
36-669	7	5.50
36-670	9	6.00



Dual Threaded

These tools have a 1/4-28 threaded shank for insertion into a threaded shank pneumatic tool and a 1/4-28 female thread to hold threaded shank tools.

PART NUMBER	LENGTH INCHES	UNIT PRICE
36-671	1	\$6.00
36-672	2	6.50
36-673	4	7.00

